UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR . | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--|-------------|------------------------|---------------------|------------------|
| 10/621,196 | 07/15/2003 | Yehoshua Shachar | MNETEC.001A | 2337 |
| 20995 7590 02/05/2008 KNOBBE MARTENS OLSON & BEAR LLP 2040 MAIN STREET | | | EXAMINER | |
| | | | APANIUS, MICHAEL | |
| FOURTEENTH FLOOR IRVINE, CA 92614 | | ART UNIT | PAPER NUMBER | |
| | | | 3736 | |
| | | | | |
| | | | NOTIFICATION DATE | DELIVERY MODE |
| | | | 02/05/2008 | ELECTRONIC |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

jcartee@kmob.com eOAPilot@kmob.com

| | Application No. | Applicant(s) | | | | |
|--|--|-------------------|--|--|--|--|
| | 10/621,196 | SHACHAR, YEHOSHUA | | | | |
| Office Action Summary | Examiner | Art Unit | | | | |
| | MICHAEL APANIUS | 3736 | | | | |
| - The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply | | | | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). | | | | | | |
| Status | | | | | | |
| 1) ⊠ Responsive to communication(s) filed on <u>06 November 2007</u>. 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final. 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i>, 1935 C.D. 11, 453 O.G. 213. | | | | | | |
| Disposition of Claims | | | | | | |
| 4) Claim(s) 39-43 and 45-47 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 39-43 and 45-47 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. | | | | | | |
| Application Papers | | | | | | |
| 9) ☑ The specification is objected to by the Examiner. 10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. | | | | | | |
| Priority under 35 U.S.C. § 119 | | • | | | | |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. | | | | | | |
| | | | | | | |
| Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 9/6/2007. | 4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other: | ate | | | | |

Art Unit: 3736

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

- 1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 10/23/2007 has been entered. The amendment to claim 39 and the amendment to the specification are acknowledged.
- 2. References 20 and 21 in the IDS of 9/6/2007 are lined out because they are already of record in the instant application. Reference 22 is lined out because a copy of the document has not been provided.

Specification

3. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: the specification fails to provide proper antecedent basis for the connection via magnetic material as set forth in claim 43.

Art Unit: 3736

Claim Objections

4. Claims 39-43 and 45-47 are objected to because of the following informality: at claim 39, line 15, it appears that "said heart" lacks proper antecedent basis in the claim. Appropriate correction is required.

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 39, 42 and 45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Blume et al. (US 6,014,580) in view of Nowlin et al. (US 6,459,926) and Borst (WO 95/01757).
- 7. Note that Blume uses the calculations of Werp et al. (US 6,015,414) and incorporates Werp by reference (see Blume, paragraph bridging columns 6 and 7).
- 8. Blume discloses an apparatus for controlling movement of a tool to be inserted into the body of a patient, comprising: a controllable magnetic field source (12) having a first cluster of electromagnet poles (X+, Y- in figure 4) and a second cluster of electromagnet poles (X-, Y+), said first cluster of poles substantially opposed to said second cluster of poles; a tool (column 5, lines 18-21) having a distal end responsive to said magnetic field; one or more sensors (20) configured to sense a current position of said distal end; and a system controller (112) for controlling said magnetic field source

Art Unit: 3736

to control a movement of said distal end according to a feedback calculation (see formulas in column 6 of Werp) wherein said system controller is configured to compute a position error comprising a difference (error/correction vectors of Werp) between a desired position of said distal end and said current position of said distal end. In regards to claim 42, the apparatus comprises an operator interface unit (column 8, lines 7-19).

- 9. Although Blume discloses a Virtual Tip control device (column 8, lines 7-19), Blume does not expressly disclose that the system controller computes an amount of tactile feedback according to the position error, nor does Blume expressly disclose a Virtual Tip Calibration Fixture.
- 10. Nowlin teaches computing an amount of tactile feedback according to a position error (column 19, lines 23-67) so that the master and slave controllers are in corresponding positions. Furthermore, the feedback will tactilely notify a surgeon that the surgical tool has encountered resistance to movement in a desired direction (column 19, last paragraph). In regards to claim 45, Nowlin further teaches a Virtual Tip Calibration Fixture (200).
- 11. Therefore, it would have been obvious to one having ordinary skill in the art at the time of invention to have modified the system controller of Blume to compute an amount of tactile feedback according to the position error and to have used a calibration fixture as taught by Nowlin in order to ensure that the position of the Virtual Tip corresponds to the internal position of the tool and to notify a surgeon of resistance to movement in a particular direction.

Art Unit: 3736

- 12. Blume also does not expressly disclose a correction input to said desired position computed based on data from an auxiliary device that measures a position of a heart relative to a frame of reference, such that said system controller compensates for a dynamic position of a wall of a heart chamber such that said distal end moves substantially in unison with a natural motion of said wall.
- 13. Borst teaches a controller (8) for a robotic surgical system (figure 1), wherein a correction input is computed based on data from an auxiliary device (1, 2) that measures a position of a heart relative to a frame of reference, such that said system controller can compensate for a dynamic position of a wall of a heart chamber such that a distal end moves substantially in unison with a natural motion of said wall (paragraph bridging pages 22 and 23). The correction input compensates and corrects for heart motion to enable surgeries to be carried out on a beating heart without the need for extracorporeal circulation or cold cardioplegic cardiac arrest (page 14, lines 7-10).
- 14. Therefore, it would have been obvious to one having ordinary skill in the art at the time of invention to have used a correction input such that a tool distal end can move in unison with a wall of a heart chamber as taught by Borst in the apparatus of Blume as modified by Nowlin in order to allow surgeries to be carried out on a beating heart with minimal risk and operating time by eliminating the need for extracorporeal circulation or cold cardioplegic cardiac arrest.
- 15. In regards to the newly amended claim language, it is noted that Borst states, "It is preferred to partly immobilize the coronary artery segment" (page 20, lines 13-14).

 Borst merely states that the immobilization is preferred and not required to practice the

Art Unit: 3736

invention. Therefore, the teaching of Borst is fully capable of working with the natural motion of a heart wall as claimed. Also, it is respectfully submitted that a partially immobilized coronary artery segment still exhibits natural motion to some degree.

- 16. Claims 40 and 41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Blume et al. (US 6,014,580) as modified by Nowlin et al. (US 6,459,926) and Borst (WO 95/01757), as applied to claims 39, 42 and 45 above, and further in view of Solf et al. (US 6,587,709).
- 17. Blume as modified by Nowlin and Borst does not expressly disclose one or more piezoelectric rings.
- 18. Solf teaches using piezoelectric rings (10a, 10b, 10c) with an ultrasound emitter (1) for the purpose of automatically tracking a catheter tip without manual displacement of an ultrasound transducer (abstract; column 2, lines 39-46).
- 19. Therefore, it would have been obvious to one having ordinary skill in the art at the time of invention to have used piezoelectric rings as taught by Solf in the apparatus of Blume as modified by Nowlin and Borst in order to automatically and accurately track a catheter tip at all times.
- 20. Claim 43 is rejected under 35 U.S.C. 103(a) as being unpatentable over Blume et al. (US 6,014,580) as modified by Nowlin et al. (US 6,459,926) and Borst (WO 95/01757), as applied to claims 39, 42 and 45 above, and further in view of Hastings (US 6,148,823).

Art Unit: 3736

- 21. Blume as modified by Nowlin and Borst does not expressly disclose that the first cluster of poles is connected to said second cluster of poles by a magnetic material.
- Hastings teaches that magnetic poles can be connected by magnetic material for the purpose of providing a strong field for a given magnet cost (column 3, lines 39-42).
- 23. It would have been obvious to one having ordinary skill in the art at the time of invention to have connected the clusters of poles of Blume as modified by Nowlin and Borst with magnetic material as taught by Hastings in order to provide a stronger field for a given magnet.
- Claims 46 and 47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Blume et al. (US 6,014,580) as modified by Nowlin et al. (US 6,459,926) and Borst (WO 95/01757), as applied to claims 39, 42 and 45 above, and further in view of Haynor et al. (US 6,129,668) and Tanabe et al. (US 5,550,469).
- 25. Blume further discloses a communication controller (54). However, Blume as modified by Nowlin and Borst does not expressly disclose one or more magnetic field sensors.
- 26. Haynor teaches one or more Hall-effect magnetic sensors to sense a position of a tool by sensing a magnetic field produced at the tool for the purpose of obviating the need to independently verify positioning with imaging equipment (column 2, lines 42-47).
- 27. It would have been obvious to one having ordinary skill in the art at the time of invention to have used one or more magnetic sensors as taught by Haynor in the

Art Unit: 3736

apparatus of Blume as modified by Nowlin and Borst in order to determine the position of an indwelling tool without the need for imaging equipment.

- 28. Blume as modified by Nowlin, Borst and Haynor does not expressly disclose one or more temperature sensors.
- Tanabe teaches a temperature-dependent variable resistor which is considered a temperature sensor for the purpose of compensating the temperature dependence of Hall-effect sensors (abstract). The temperature sensor is paired with magnetic sensors.
- 30. Therefore, it would have been obvious to one having ordinary skill in the art at the time of invention to have paired temperature sensors as taught by Tanabe with the Hall-effect sensors of Blume as modified by Nowlin, Borst and Haynor in order to compensate for the temperature dependence of Hall-effect sensors.

Response to Arguments

31. Applicant's arguments with respect to the previous prior art rejections have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

- Any inquiry concerning this communication or earlier communications from the examiner should be directed to MICHAEL APANIUS whose telephone number is (571)272-5537. The examiner can normally be reached on Mon-Fri 9am-5:30pm.
- 33. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on (571) 272-4726. The fax phone

Art Unit: 3736

number for the organization where this application or proceeding is assigned is 571-273-8300.

34. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MA

Brian Szwal AU 3736